

DATA SHEET

Street luminaires / VILLA

Ref. VILLA_CV



(On request)

5 YEARS WARRANTY
PRO


IP65
IK08

1-10V
DALI
DN2
ORC

CE
MADE IN SPAIN

VILLA aluminium Street Luminaire

MEASURES



Physical data

Material: Aluminium

Degree of IP protection: IP65










Additional regulation (with accessory): 1-10V, Dali, Doble nivel, En cabecera

Degree of IK protection: IK08

Dimensional data

Format:	Square	Outside length:	440 mm
Outside width:	440 mm	High/Depth:	770 mm

Accessories

Reference	Description
	VLN02527150 25W Adaptation Villa Street Luminaire 150° 2700K
	VLN02527150D1 25W Adaptation Villa Street Luminaire 150° 2700K 1-10V dim.
	VLN02527150D2 25W Adaptation Villa Street Luminaire 150° 2700K DALI dim.
	VLN02527150D6 25W Adaptation Villa Street Luminaire 150° 2700K DN- dim.
	VLN02527150D7 25W Adaptation Villa Street Luminaire 150° 2700K DN+ dim.
	VLN02527150D8 25W Adaptation Villa Street Luminaire 150° 2700K DRC dim.
	VLN02540150 25W Adaptation Villa Street Luminaire 150° 4000K
	VLN02540150D1 25W Adaptation Villa Street Luminaire 150° 4000K 1-10V dim.
	VLN02540150D2 25W Adaptation Villa Street Luminaire 150° 4000K DALI dim.



[VLN02540150D6](#) 25W Adaptation Villa Street Luminaire 150° 4000K DN- dim.



[VLN02540150D7](#) 25W Adaptation Villa Street Luminaire 150° 4000K DN+ dim.



[VLN02540150D8](#) 25W Adaptation Villa Street Luminaire 150° 4000K DRC dim.



[VLN02527A6](#) 25W Adaptation Villa Street Luminaire 80x150° 2700K



[VLN02527A6D1](#) 25W Adaptation Villa Street Luminaire 80x150° 2700K 1-10V dim.



[VLN02527A6D2](#) 25W Adaptation Villa Street Luminaire 80x150° 2700K DALI dim.



[VLN02527A6D6](#) 25W Adaptation Villa Street Luminaire 80x150° 2700K DN- dim.



[VLN02527A6D7](#) 25W Adaptation Villa Street Luminaire 80x150° 2700K DN+ dim.



[VLN02527A6D8](#) 25W Adaptation Villa Street Luminaire 80x150° 2700K DRC dim.



[VLN02540A6](#) 25W Adaptation Villa Street Luminaire 80x150° 4000K



[VLN02540A6D1](#) 25W Adaptation Villa Street Luminaire 80x150° 4000K 1-10V dim.



[VLN02540A6D2](#) 25W Adaptation Villa Street Luminaire 80x150° 4000K DALI dim.



VLN02540A6D6 25W Adaptation Villa Street Luminaire 80x150° 4000K DN- dim.



VLN02540A6D7 25W Adaptation Villa Street Luminaire 80x150° 4000K DN+ dim.



VLN02540A6D8 25W Adaptation Villa Street Luminaire 80x150° 4000K DRC dim.



VLQ0403045 40W Adaptation Villa Street Luminaire 45° 3000K



VLQ0403045D1 40W Adaptation Villa Street Luminaire 45° 3000K 1-10V dim.



VLQ0403045D2 40W Adaptation Villa Street Luminaire 45° 3000K DALI dim.



VLQ0404045 40W Adaptation Villa Street Luminaire 45° 4000K



VLQ0404045D1 40W Adaptation Villa Street Luminaire 45° 4000K 1-10V dim.



VLQ0404045D2 40W Adaptation Villa Street Luminaire 45° 4000K DALI dim.



VLQ0405745 40W Adaptation Villa Street Luminaire 45° 5700K



VLQ0405745D1 40W Adaptation Villa Street Luminaire 45° 5700K 1-10V dim.



VLQ0405745D2 40W Adaptation Villa Street Luminaire 45° 5700K DALI dim.



[VLQ0403060](#) 40W Adaptation Villa Street Luminaire 60° 3000K



[VLQ0403060D1](#) 40W Adaptation Villa Street Luminaire 60° 3000K 1-10V dim.



[VLQ0403060D2](#) 40W Adaptation Villa Street Luminaire 60° 3000K DALI dim.



[VLQ0404060](#) 40W Adaptation Villa Street Luminaire 60° 4000K



[VLQ0404060D1](#) 40W Adaptation Villa Street Luminaire 60° 4000K 1-10V dim.



[VLQ0404060D2](#) 40W Adaptation Villa Street Luminaire 60° 4000K DALI dim.



[VLQ0405760](#) 40W Adaptation Villa Street Luminaire 60° 5700K



[VLQ0405760D1](#) 40W Adaptation Villa Street Luminaire 60° 5700K 1-10V dim.



[VLQ0405760D2](#) 40W Adaptation Villa Street Luminaire 60° 5700K DALI dim.



[VLQ04030120](#) 40W Adaptation Villa Street Luminaire 120° 3000K



[VLQ04030120D1](#) 40W Adaptation Villa Street Luminaire 120° 3000K 1-10V dim.



[VLQ04030120D2](#) 40W Adaptation Villa Street Luminaire 120° 3000K DALI dim.



[VLQ04040120](#) 40W Adaptation Villa Street Luminaire 120° 4000K



[VLQ04040120D1](#) 40W Adaptation Villa Street Luminaire 120° 4000K 1-10V dim.



[VLQ04040120D2](#) 40W Adaptation Villa Street Luminaire 120° 4000K DALI dim.



[VLQ04057120](#) 40W Adaptation Villa Street Luminaire 120° 5700K



[VLQ04057120D1](#) 40W Adaptation Villa Street Luminaire 120° 5700K 1-10V dim.



[VLQ04057120D2](#) 40W Adaptation Villa Street Luminaire 120° 5700K DALI dim.



[VLN05027150](#) 50W Adaptation Villa Street Luminaire 150° 2700K



[VLN05027150D1](#) 50W Adaptation Villa Street Luminaire 150° 2700K 1-10V dim.



[VLN05027150D2](#) 50W Adaptation Villa Street Luminaire 150° 2700K DALI dim.



[VLN05027150D6](#) 50W Adaptation Villa Street Luminaire 150° 2700K DN- dim.



[VLN05027150D7](#) 50W Adaptation Villa Street Luminaire 150° 2700K DN+ dim.



[VLN05027150D8](#) 50W Adaptation Villa Street Luminaire 150° 2700K DRC dim.



[VLN05040150](#) 50W Adaptation Villa Street Luminaire 150° 4000K



[VLN05040150D1](#) 50W Adaptation Villa Street Luminaire 150° 4000K 1-10V dim.



[VLN05040150D2](#) 50W Adaptation Villa Street Luminaire 150° 4000K DALI dim.



[VLN05040150D6](#) 50W Adaptation Villa Street Luminaire 150° 4000K DN- dim.



[VLN05040150D7](#) 50W Adaptation Villa Street Luminaire 150° 4000K DN+ dim.



[VLN05040150D8](#) 50W Adaptation Villa Street Luminaire 150° 4000K DRC dim.



[VLN05027A6](#) 50W Adaptation Villa Street Luminaire 80x150° 2700K



[VLN05027A6D1](#) 50W Adaptation Villa Street Luminaire 80x150° 2700K 1-10V dim.



[VLN05027A6D2](#) 50W Adaptation Villa Street Luminaire 80x150° 2700K DALI dim.



[VLN05027A6D6](#) 50W Adaptation Villa Street Luminaire 80x150° 2700K DN- dim.



[VLN05027A6D7](#) 50W Adaptation Villa Street Luminaire 80x150° 2700K DN+ dim.



[VLN05027A6D8](#) 50W Adaptation Villa Street Luminaire 80x150° 2700K DRC dim.



[VLN05040A6](#) 50W Adaptation Villa Street Luminaire 80x150° 4000K



[VLN05040A6D1](#) 50W Adaptation Villa Street Luminaire 80x150° 4000K 1-10V dim.



[VLN05040A6D2](#) 50W Adaptation Villa Street Luminaire 80x150° 4000K DALI dim.



[VLN05040A6D6](#) 50W Adaptation Villa Street Luminaire 80x150° 4000K DN- dim.



[VLN05040A6D7](#) 50W Adaptation Villa Street Luminaire 80x150° 4000K DN+ dim.



[VLN05040A6D8](#) 50W Adaptation Villa Street Luminaire 80x150° 4000K DRC dim.



[VLQ0803045](#) 80W Adaptation Villa Street Luminaire 45° 3000K



[VLQ0803045D1](#) 80W Adaptation Villa Street Luminaire 45° 3000K 1-10V dim.



[VLQ0803045D2](#) 80W Adaptation Villa Street Luminaire 45° 3000K DALI dim.



[VLQ0804045](#) 80W Adaptation Villa Street Luminaire 45° 4000K



[VLQ0804045D1](#) 80W Adaptation Villa Street Luminaire 45° 4000K 1-10V dim.



[VLQ0804045D2](#) 80W Adaptation Villa Street Luminaire 45° 4000K DALI dim.



[VLQ0805745](#) 80W Adaptation Villa Street Luminaire 45° 5700K



[VLQ0805745D1](#) 80W Adaptation Villa Street Luminaire 45° 5700K 1-10V dim.



[VLQ0805745D2](#) 80W Adaptation Villa Street Luminaire 45° 5700K DALI dim.



[VLQ0803060](#) 80W Adaptation Villa Street Luminaire 60° 3000K



[VLQ0803060D1](#) 80W Adaptation Villa Street Luminaire 60° 3000K 1-10V dim.



[VLQ0803060D2](#) 80W Adaptation Villa Street Luminaire 60° 3000K DALI dim.



[VLQ0804060](#) 80W Adaptation Villa Street Luminaire 60° 4000K



[VLQ0804060D1](#) 80W Adaptation Villa Street Luminaire 60° 4000K 1-10V dim.



[VLQ0804060D2](#) 80W Adaptation Villa Street Luminaire 60° 4000K DALI dim.



[VLQ0805760](#) 80W Adaptation Villa Street Luminaire 60° 5700K



[VLQ0805760D1](#) 80W Adaptation Villa Street Luminaire 60° 5700K 1-10V dim.



[VLQ0805760D2](#) 80W Adaptation Villa Street Luminaire 60° 5700K DALI dim.



[VLQ08030120](#) 80W Adaptation Villa Street Luminaire 120° 3000K



[VLQ08030120D1](#) 80W Adaptation Villa Street Luminaire 120° 3000K 1-10V dim.



[VLQ08030120D2](#) 80W Adaptation Villa Street Luminaire 120° 3000K DALI dim.



[VLQ08040120](#) 80W Adaptation Villa Street Luminaire 120° 4000K



[VLQ08040120D1](#) 80W Adaptation Villa Street Luminaire 120° 4000K 1-10V dim.



[VLQ08040120D2](#) 80W Adaptation Villa Street Luminaire 120° 4000K DALI dim.



[VLQ08057120](#) 80W Adaptation Villa Street Luminaire 120° 5700K



[VLQ08057120D1](#) 80W Adaptation Villa Street Luminaire 120° 5700K 1-10V dim.



[VLQ08057120D2](#) 80W Adaptation Villa Street Luminaire 120° 5700K DALI dim.



[VLN10027150](#) 100W Adaptation Villa Street Luminaire 150° 2700K



[VLN10027150D1](#) 100W Adaptation Villa Street Luminaire 150° 2700K 1-10V dim.



[VLN10027150D2](#) 100W Adaptation Villa Street Luminaire 150° 2700K DALI dim.



[VLN10027150D6](#) _100W Adaptation Villa Street Luminaire 150° 2700K DN- dim.



[VLN10027150D7](#) _100W Adaptation Villa Street Luminaire 150° 2700K DN+ dim.



[VLN10027150D8](#) _100W Adaptation Villa Street Luminaire 150° 2700K DRC dim.



[VLN10040150](#) _100W Adaptation Villa Street Luminaire 150° 4000K



[VLN10027A6](#) _100W Adaptation Villa Street Luminaire 80x150° 2700K



[VLN10040150D1](#) _100W Adaptation Villa Street Luminaire 150° 4000K 1-10V dim.



[VLN10027A6D1](#) _100W Adaptation Villa Street Luminaire 80x150° 2700K 1-10V dim.



[VLN10040150D2](#) _100W Adaptation Villa Street Luminaire 150° 4000K DALI dim.



[VLN10027A6D2](#) _100W Adaptation Villa Street Luminaire 80x150° 2700K DALI dim.



[VLN10040150D7](#) _100W Adaptation Villa Street Luminaire 150° 4000K DN+ dim.



[VLN10027A6D6](#) _100W Adaptation Villa Street Luminaire 80x150° 2700K DN- dim.



[VLN10040150D6](#) _100W Adaptation Villa Street Luminaire 150° 4000K DN- dim.



[VLN10027A6D7](#) _100W Adaptation Villa Street Luminaire 80x150° 2700K DN+ dim.



[VLN10040150D8](#) _100W Adaptation Villa Street Luminaire 150° 4000K DRC dim.



[VLN10027A6D8](#) _100W Adaptation Villa Street Luminaire 80x150° 2700K DRC dim.



[VLN10040A6](#) 100W Adaptation Villa Street Luminaire 80x150° 4000K



[VLN10040A6D1](#) _100W Adaptation Villa Street Luminaire 80x150° 4000K 1-10V dim.



[VLN10040A6D2](#) _100W Adaptation Villa Street Luminaire 80x150° 4000K DALI dim.



[VLN10040A6D6](#) _100W Adaptation Villa Street Luminaire 80x150° 4000K DN- dim.



[VLN10040A6D7](#) _100W Adaptation Villa Street Luminaire 80x150° 4000K DN+ dim.



[VLN10040A6D8](#) _100W Adaptation Villa Street Luminaire 80x150° 4000K DRC dim.